

Visible Results as Fast as 3 Hours

Rainfast in 15 Minutes! • Kills Over 155 Types of Weeds listed

Use on patios, walkways & flower beds

READY TO USE



NO ASSEMBLY REQUIRED!

.....0.12% KEEP OUT OF REACH OF CHILDREN MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS Net 1.33 gal 0.06% CAUTION see back booklet for additional PRECAUCION consulte el folide en la parte posterior para 2.78% For terms of guarantee, see back panel.

PRECAUCION connocer las declaraciones preventivas addicionales. (170 fl oz / 5.0 L)

- Si es necesario, mezcle el fertilizante inicial y los acondicionadores para la tierra. Nivele la tierra.
- Aplique las semillas de acuerdo a las instrucciones del envase, o coloque los panes de césped. Las semillas de césped deben mantener un buen contacto con la tierra para germinar y crecer.
- Mantenga la zona húmeda durante dos semanas para que el césped nuevo se establezca: después rieque cuando sea necesario

INSTRUCCIONES PARA RECARGAR

Recarque solamente con el herbicida concentrado para pasto y maleza, de Spectracide[®]. Quite la tapa, Mida y mezcle cuidadosamente 7 onz. líg. (14 cdas. soperas) en 1 galón de agua. Coloque la tapa de nuevo y ciérrela herméticamente. Limpie cualquier resto de producto que se hava derramado

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Gire lentamente el asa de la bomba en sentido contrario al de las manecillas del reloi para separar el mecanismo de la bomba de la botella para liberar la presión. Gire el asa en sentido de las manecillas del reloj para cerrar herméticamente la unidad para almacenarla. Gire el asa en sentido contrario al de las manecillas del reloj un cuarto de giro para trabarla. Presione la manquera para colocarla en el compartimiento. Coloque la varilla nuevamente en él soporte. Guarde este producto sólo en su envase original en un lugar de almacenamiento seguro. Eliminación del pesticida: Si está vacío: Envase no rellenable. No vuelva a usar ni a rellenar este envase a menos que las instrucciones de uso permitan que un producto (concentrado) diferente se diluya en el envase. Tírelo en la basura u ofrézcalo para reciclar, si existe esa opción. Si está parcialmente vacío: Llame a sú servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Use camisa de manga larga, pantalones largos, zapatos y calcetines.

PRIMEROS AUXILIOS

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centró de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

I Si entra en contacto con la piel o la ropa: Quítese la ropa contaminada. Lave la piel con abundante aqua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenoa a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. No lo aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo.





PEEL HERI

ABRA AQUI

WEED & GRASS KILLER, Herbicida para pasto y maleza,



Replant Flowers, Trees & Shrubs the Same Weekend!



Eliminates Weeds. Guaranteed!

HOW TO USE THE EASY ACTION PUMP









- 1. For the initial use, remove the tie that is securing the handle to the base of the pump. 2. REMOVE THE WAND from the holster and PULL THE
- HOSE from the storage compartment. 3. Make sure the sprayer wand is securely tightened to
- the spray handle 4. TURN THE PUMP HANDLE CLOCKWISE to tightly seal the pump to the bottle and unlock the pump handle
- for pumping. (FIG. A) 5. RAISE THE PUMP HANDLE FROM THE BOTTLE AND
- PUMP until you begin to feel resistance. (FIG. B)
- handle into the base of the pump and turn the handle counterclockwise one quarter turn to lock.
- 7. BEGIN SPRAYING by pushing down on the spray handle trigger. (FIG. C)
- 8. ROTATE THE NOZZLE AT THE TIP of the wand to adjust the spray from a direct spray to a broadcast mist. (FIG. D)
- 9. For continuous spray, push the trigger down and slide it forward to lock, SLIDE THE TRIGGER BACK TO RELEASE it from the lock position.

NOTE: If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Replace nozzle cover and use as instructed above

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason. send your written request for a refund to the address at right, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

PROOF OF PURCHASE

FPO UPC 0 71121 96020 7 KILLS MOST COMMON WEEDS AND GRASSES INCLIDING: / MATA LA MAYORÍA DE LAS MALEZAS Y PASTOS COMUNES INCLUYENDO:

I ambsquarters

Mayweed

Pennywort

Prickly lettuce

Puncture vine

Prostrate spurge

Redroot pigweed

Shenherdsnurse

Nutarass (nutsedge)

Pinweed

Purslane

Sandspur

Smartweed

Nimblewill

Oldenlandia

Oxalis*

Orchardgrass

Pampasgrass

Perennial ryegrass

Purple cudweed*

Purple nutsedge

Quaking aspen

Smooth bromegrass

St. Augustinegrass

Quackgrass

Ragweed

Red clover

Sourdock

Sowthistle

Tall fescue

Pennywort

Plantain

Ovalie*

Mouseear chickweed*

Annual weeds and grasses: / Malezas y pastos anuales:

• Annual bluegrass

• Creeping beggarweed

• Kn Knotweed

 Annual ryegrass Diffuse Invegrass Barnvardorass Dog fennel

 Little hitter cress Beggarweed I ondon rocket Evening primrose Black medic Maiden cane Fall panicum Mallow

 Rlue medic False dandelinn Rlue mustard • Fennel Blue toadflax Fiddleneck

 Brasshuttons Field nennycress Field sandhur Bromegrass Bur clover Filaree

 Buttercup Florida puslev Cheeseweed Fnytail Garden spurge Chickweed Clover Goosegrass

 Common groundsel
 Common lambsquarters Green foxtail Hemp sesbania Common plantain Henhit

 Horseweed/marestail Common ragweed Crabarass Ironweed

Perennial weeds, grasses and brush; / Malezas, pastos v matorrales perennes; Alder Curly dock Artichoke thistle Dallisgrass

 Bahiagrass Dandelion Barnyardgrass
 Bentgrass Dewherry Dog fennel False dandelion Bermudagrass Bluegrass Fescue species

 Broadleaf plantain Field hindweed Brownseed paspalum Guineagrass Buckhorn plantain Hairy craborass Bull thistle Horsenettle Canada thistle Horseradish

• Cattail Iceplant Ceanothus Johnsongrass Centipedegrass Kentucky bluegrass Cocklebur Kikuyugrass Knapweed Cogongrass

Milkweed

 Common mullein Knawel I antana Common ragweed Coral bead Maiden cane

Creeping Charlie

 Smooth cat's ear Smooth pigweed
 Sowthistle

 Spotted spurge Sprangleton

• Spurges Tansy mustard Tansy ragwort

 Teaweed Pennsylvania smartweed Texas panicum Tumble mustard Velvetleaf

> Wild geranium? Wild mustard Witch grass Yellow nutorass

 Yellow oxalis (and many other annual grasses and weeds)

 Mouseear chickweed* Tansv ragwort Timothy

 Torpedograss Trumpetcreeper

 Vasevarass Virginia creeper

 White clover Whitetop

 Wild barley Wild blackberry

 Wild carrot Wild morning-glory Wild nats

 Yarrow Yellow nutgrass

 Yellow starthistle Zovsia

*annual or perennial



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For outdoor residential use only



Do not allow people or pets to touch treated plants until the sprays have dried.

APPI ICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

USER SAFETY RECOMMENDATIONS

- Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.
- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove clothing and protective equipment immediately after handling this
 product. As soon as possible, wash thoroughly and change into clean clothing.

HOW TO USE

Spectracide® Weed & Grass Killer, is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. Use it on driveways and walkways or around fences, trees, flower beds, shrubs and other areas in your yard.

- 1. For the initial use, remove the tie that is securing the handle to the base of the pump.
- 2. Remove the wand from the holster and pull the hose from the storage compartment.
- 3. Make sure the sprayer wand is securely tightened to the spray handle.
- 4. Turn the pump handle clockwise to tightly seal the pump to the bottle and unlock the pump handle for pumping.
- 5. Raise the pump handle from the bottle and pump until you begin to feel resistance.
- 6. Secure the pump handle for carrying by pushing the handle into the base of the pump and turn the handle counterclockwise one quarter turn to lock.
- 7. Begin spraying by pushing down on the spray handle trigger.
- 8. Rotate the nozzle at the tip of the wand to adjust the spray from a direct spray to a broadcast mist.

For continuous spray, push the trigger down and slide it forward to lock. Slide the trigger back
to release it from the lock position.

Note: If sprayer does not function properly, remove nozzle cover and check nozzle and holes in

Note: If sprayer does not function properly, remove nozzle cover and check nozzle and holes in rubber component for obstructions. Replace nozzle cover and use as instructed above.

HOW TO APPLY

Completely wet the leaves of the target vegetation. Do not overspray.

• Sprayed plants begin yellowing and wilting in about 24 hours, with complete kill, including the

roots, in one to two weeks.

Protect desirable plants with a piece of plastic or cardboard.

If desirable plants are accidentally sprayed, wash plants with water immediately.

 Do not mow, cut or otherwise disturb treated vegetation, weeds or plants for at least seven days following application.

Do not use on or around edible feed or food crops.

WHEN TO APPLY

For best results, apply during warm, sunny weather (above 60°F) when weeds are actively
growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application
will not wash away effectiveness.

To avoid drift to desirable plants, apply when the air is calm.

Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.

WHEN TO REPLANT

All ornamental flowers, trees and shrubs may be planted one day after application.

LAWN RENOVATION/REPLACEMENT

- Determine size of area to be treated measure length and width in feet, then multiply to
- determine coverage area in square feet (length x width).

 Use Spectracide® Weed & Grass Killer, to kill the old lawn and existing weeds and grasses.
- Use Spectracide® Weed & Grass Killer, to kill the old lawn and existing weeds and grasses.
 For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
- Under dry conditions, water lawn every other day for a week before applying Spectracide Weed & Grass Killer.
- Do not mow for seven days before or after treatment.
- 1.33 gal treats 390 sg ft.

TIPS FOR REPLANTING

- Wait seven days after last application to rake, till or replant with seed or sod.
- Rake up and remove loosened thatch or debris.

- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for two weeks to establish new lawn, then water as needed.

REFILL DIRECTIONS

Refill only with Spectracide® Weed & Grass Killer Concentrate,. Remove cap. Carefully measure and mix 7 fl oz (14 Tbsp) in one gallon of water. Replace and tightly close cap. Wipe off any spilled product.

STORAGE AND DISPOSAL

Pesticide Storage: Slowly turn the pump handle counterclockwise to loosen the pump mechanism from the bottle to release pressure. Turn the handle back clockwise to seal the unit for storage. Turn the handle counterclockwise one quarter turn to lock the handle. Push the hose back into the storage compartment. Place the wand back in the holster. Store this product in its original container in a secure storage area. Pesticide Disposal: If empty: Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes, and socks.

FIRST AID
If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a

Poison Control Center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15 00 minutes Called Science Center Center Science for treatment advice.


15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or

doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.



MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. Sólo para uso residencial al aire libre



🕻 👫 No permita que las personas ni las mascotas toquen las plantas tratadas hasta que los rocíos se hayan secado.

RESTRICCIONES DE APLICACIÓN

No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Solamente las personas que apliquen este producto pueden permanecer en el lugar durante la aplicación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

- La ropa y el equipo de protección expuestos a este producto deben lavarse con detergente y aqua caliente. Dichas prendas deben quardarse y lavarse por separado de otra ropa.
- Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Los usuarios deben guitarse la ropa inmediatamente si el pesticida pasa a través de la misma. Luego deben lavarse muy bien v ponerse ropa limpia
- Los usuarios deben quitarse la ropa y el equipo de protección personal inmediatamente después de manipular este producto. Lávese muy bien y póngase ropa limpia tan pronto como sea posible

CÓMO USAR

El herbicida para pasto y maleza, de Spectracide® está formulado para el tratamiento localizado de malezas y pastos y viene pre-mezclado y listo para usar. Úselo en los caminos de entrada de automóviles y senderos, o alrededor de cercas, árboles, lechos de flores, arbustos y otras zonas en su iardín.

- 1. Para usar por primera vez, retire la traba que une el asa a la base de la bomba.
- 2. Retire la varilla del soporte y jale la manguera para retirarla del compartimiento donde está quardada.
- 3. Asegúrese de que la varilla para rociar esté bien conectada al asa para rociar
- 4. Gire el asa de la bomba en sentido de las manecillas del reloi para que la bomba y la botella queden unidas herméticamente y destrabe el asa de la bomba para bombear
- 5. Levante el asa de la bomba desde la botella y comience a bombear hasta que sienta resistencia.
- 6. Para transportar, asegure el asa presionándola para colocarla en la base de la bomba y gire el asa en sentido contrario al de las manecillas del reloi un cuarto de giro para trabar.
- 7. Comience a aplicar el rocío presionando hacia abajo el gatillo del asa para rociar.
- 8. Gire la boquilla en el extremo de la varilla para ajustar el rocío, desde un rocío directo a una niebla al voleo.

9. Para lograr un rocío continuo, presione hacia abaio el gatillo y deslícelo hacia adelante para trabar. Deslice el gatillo hacia atrás para destrabar.

Nota: Si el rociador no funciona bien, retire la cubierta de la boquilla y verifique que no haya obstrucciones en la boquilla ni en los orificios del componente de goma/hule. Coloque nuevamente la cubierta de la boquilla y use como se indica más arriba.

CÓMO APLICAR

- Moje completamente las hojas de la vegetación que tiene como objetivo. No rocíe en exceso.
- · Las plantas que se rociaron empiezan a ponerse amarilla y marchitarse en un plazo de 24 horas y la eliminación completa, incluvendo las raíces, tiene lugar en una a dos semanas
- Proteia todas las plantas deseables con un trozo de plástico o cartón.
- Si las plantas deseables se rocían accidentalmente, lávelas inmediatamente con aqua.
- No corte, ni altere de ninguna otra manera a la vegetación, las malezas o las plantas tratadas durante por lo menos siete días después de la aplicación.
- No lo use en alimentos para animales ni en cultivos comestibles ni a su alrededor.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique el producto cuando el clima esté cálido y soleado (temperaturas superiores a 60°F). cuando las malézas se encuentren en la etapa de desarrollo activo y no se pronostiquen lluvias por 24 horas. La lluvia o él riego después de los 15 minutos de la aplicación no reduce la eficacia.
- Aplique cuando no haya viento para evitar el arrastre hacia plantas deseables.

No se recomienda para el tratamiento localizado de malezas en céspedes establecidos, ya que también los matará.

CUÁNDO PLANTAR DE NUEVO

Todas las flores, árboles y arbustos ornamentales se pueden plantar **un día después** de la aplicación.

RENOVACIÓN O REPOSICIÓN DEL CÉSPED

- Determine el tamaño del área que se va a tratar; mida el largo y el ancho en pies y después multiplique para determinar el área de cobertura en pies cuadrados (largo por ancho)
- Use el herbicida para pasto y maleză, de Spectracide® para eliminar el césped anterior y las malezas y pastos actuales.
 Para obtener mejores resultados, aplique durante la primavera o el otoño, cuando las temperaturas diurnas sean de 60°F por
- Si el césped está seco, riéguelo un día sí y otro no durante una semana antes de aplicar el herbicida para pasto y maleza, de
- No corte el césped durante los siete días anteriores ni posteriores al tratamiento.
- 1.33 galones tratan 390 pies cuadrados.

CONSEJOS PARA REPLANTAR

- Espere que transcurran siete días de la última aplicación para rastrillar, cultivar o replantar con semillas o panes de
- Rastrille y retire la paja o los residuos sueltos.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals **CAUTION.** Causes moderate eve irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt. long pants, shoes, and socks.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a Poison Control Center or doctor for treatment advice. • If on Skin or Clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. • Have the

product container or label with you when calling a Poison Control Center or doctor, or going for treatment. Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos PRECAUCIÓN. Causa irritación moderada a los oios. Evite el contacto con los oios o la ropa. Use camisa de

manga larga, pantalones largos, zapatos y calcetinés.

PRIMEROS AUXILIOS Si entra en contacto con los ojos: Mantenga los ojos abjertos y enjuaque con agua lentamente, con cuidado.

durante 15 a 20 minutos. Si hay lentes de contácto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Lláme a un centro de control de envenenamientos o a un médico para recibir instruccionés de tratamiento. • Si entra en contacto con la piel o la ropa: Quítese la ropa contaminada. Lave la piel con abundante aqua durante 15 a 20 minutos. Llame à un centro de control de envenenamientos o a un

médico para recibir instrucciones de tratamiento. • Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. No lo aplique directamente al aqua. No contamine el agua cuando elimine las aguas de lavado del equipo.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la

responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones. Preguntas o comentarios? Llame al 1-800-917-5438. Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-293-8845 EPA Est. Nos. 9688-MO-1 (I), 39754-WI-1 (R), 79533-WI-1 (BT), 39609-MO-1 (BM), 58996-MO-1 (AE), 11623-GA-1 (CK), 11623-GA-3 (CN)

Circled letter is first letter of lot number. 17-13917

@ 2011 LIIC